



Motorola moto watch fit 4,83 cm (1.9") OLED 44.5 mm Numérique Écran tactile Vert, Gris GPS (satellite)

Marque : Motorola

Code produit: PG38C07182

Nom du produit : moto watch fit

1.9" OLED, Corning Gorilla Glass 3, Bluetooth 5.3, 6-axis IMU, GPS, IP68, 25 g

Motorola moto watch fit. Taille de l'écran: 4,83 cm (1.9"), Technologie d'affichage: OLED, Écran tactile. GPS (satellite). Poids: 25 g. Humidité : étanche jusqu'à: 50 m, Matière de la bande: Tissu, Nylon, Couleur du bracelet: Vert, Jaune, Taille du bracelet: Taille unique. Système d'exploitation installé: RTOS



Écran		représentation / réalisation	
Taille de l'écran *	4,83 cm (1.9")	Haut-parleurs intégrés *	×
Technologie d'affichage *	OLED	Appareil photo intégré *	×
Luminosité de l'écran	1000 cd/m²	Caractéristiques	
Affichage couleur	✓	Moniteur de fréquence cardiaque *	✓
Type d'écran *	Numérique	Tensiomètre	✓
Écran tactile *	✓	Capteur d'oxygène dans le sang	✓
Coins d'écran arrondis	✓	Accéléromètre	✓
Type de verre de montre	Corning Gorilla Glass 3	Gyroscope	✓
Design		Mode Multisport	✓
Matière de la bande *	Tissu, Nylon	Qualité du sommeil	✓
Taille du bracelet *	Taille unique	Capteur de lumière ambiante	✓
Forme *	Rectangulaire	Commande de musique	✓
position de marché *	Smartwatch	Réseau	
Dimension du boîtier de montre *	44.5 mm	Connexion au réseau mobile *	×
Sexe suggéré	Unisex	GPS (satellite)	✓
Couleur du boîtier de montre *	Vert, Gris	Connectivité	
Matériau du boîtier de montre *	Aluminium	Bluetooth	✓
Couleur du bracelet *	Vert, Jaune	Port USB *	×
Fonctions de protection	Résistant à la poussière, Résistant à l'eau	Paiement sans contact *	×
Code (IP) Internationale Protection	IP68	Wifi *	×
Sangle amovible	✓	Modèle du Bluetooth *	5.3
Humidité : étanche jusqu'à	50 m	Puissance	
Résistance à l'eau	5 DAB	Type de batterie *	Batterie intégré
représentation / réalisation		Autonomie de la batterie	16 jour(s)
Type de capteur	IMU		
Radio FM *	×		

représentation / réalisation		Batterie	
Système mobile supporté	Android 12.0, Android 13.0, Android 14.0	Technologie batterie *	Lithium Polymère (LiPo)
Système d'exploitation installé	RTOS	Poids et dimensions	
Microphone intégré *	✗	Largeur	37,9 mm
		Profondeur	44,5 mm
		Épaisseur	9,5 mm
		Poids	25 g
		Largeur de bande	2,2 cm



0840023294563



840023294563

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.