



HP Color LaserJet Pro 3202dn

Brand : HP

Product code: 8D7L0A#B19

Product name : Color LaserJet Pro 3202dn

- Print from phone or tablet; Two-sided printing; TerraJet cartridge
 - Print
 - Print speed up to 25 ppm (black) and 25 ppm (colour)
 - Up to 600 x 600 dpi
- Color LaserJet Pro 3202dn

HP Color LaserJet Pro 3202dn:

Reliable, high-quality colour printing. Designed for business work teams that need professional performance with fast, high-quality two-sided colour printing, laser productivity, and award-winning reliability in a space-saving design.^[11]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.




Printing		System requirements	
Duplex printing mode	Auto	Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Print resolution colour	600 x 600 DPI	Other operating systems supported	Android, iOS
Print resolution black	600 x 600 DPI	Operational conditions	
Print speed (colour, normal quality, A4/US Letter)	25 ppm	Operating temperature (T-T)	15 - 30 °C
Colour *	✓	Storage temperature (T-T)	-20 - 60 °C
Print technology *	Laser	Operating relative humidity (H-H)	10 - 80%
Duplex printing *	✓	Sustainability	
Maximum resolution *	600 x 600 DPI	Sustainability compliance	✓
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Sustainability certificates	Blue Angel
Warm-up time	55 s	Sustainable technologies and materials	Contains post-consumer recycled plastic
Time to first page (black, normal)	10.9 s	Carbon footprint	
Time to first page (colour, normal)	11 s	Total carbon footprint (kg of CO2e)	220
Features		Carbon emissions, manufacturing (kg of CO2e)	145
Maximum duty cycle *	40000 pages per month	Carbon emissions, logistics (kg of CO2e)	17
Recommended duty cycle	150 - 2500 pages per month	Carbon emissions, end-of-life (kg of CO2e)	27
Printing colours *	Black, Cyan, Magenta, Yellow	Total carbon emissions, w/o use phase (kg of CO2e)	28
Number of print cartridges *	4	Weight & dimensions	
Page description languages *	PDF, JPEG, PWG, URF, PCL 5, PCL 6	Width	390 mm
Printer fonts	Scalable, TrueType	Depth	419.1 mm
Country of origin	Vietnam	Height	254.2 mm
		Pallet dimensions (W x D x H)	1200 x 1000 x 2041 mm
		Weight	13.8 kg
		Packaging data	
		Package width	497 mm
		Package depth	331 mm

Features		Packaging data	
Replacement cartridges	HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A; HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A; HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A; HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A; HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X; HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X; HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X; HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X	Package height	510 mm
		Package weight	16.9 kg
	Packaging content		
	Cartridge(s) included	✓	
	Included cartridge capacity (black)	600 pages	
Included cartridge capacity (CMY)	500 pages		
Manual	✓		
Cables included	AC		
User guide	✓		
Bundled software	HP Printer Software downloadable from www.hp.com/hp-app		
Brand-specific features			
HP Auto-On/Auto-Off	✓		
HP Dynamic security	✓		
HP Security tools	Device Unique Password, Enable/Disable USB Ports, EWS Session Timeout, Access Control for Device Features, Remote Scan Enable/Disable		
HP GTIN (EAN/UPC) with options	(ABT) 197497973648; (ABY) 197497973655; (B19) 196548369119; (BAZ) 197497973662		
HP GTIN (EAN/UPC)	197497973648, 197497973655, 196548369119, 197497973662		
Logistics data			
Harmonized System (HS) code	8443321010		
Pallet gross weight	474.2 kg		
Layers per pallet	4 pc(s)		
Products per pallet	28 pc(s)		
Technical details			
Master (outer) cases per pallet layer 7 pc(s)			
Compliance certificates GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI			
General Product Safety Regulation (GPSR) URL https://support.hp.com/gb-en/product/details/hp-color-laserjet-pro-3201-3204-3288-printer-series/model/2102048004?sku=8D7L0A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_7795476_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_7795476_en-US-1.pdf			
Other features			
Recommended system requirements	Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection. Apple macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required.		
Recommended humidity operating range	30 - 70%		
Power supply type	Internal (Built-in) power supply		
Recommended operating temperature range (T-T)	15 - 27 °C		
Custom media sizes	76 x 127 mm to 216 x 356 mm		
Envelope feeder	No		
Electromagnetic compatibility	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries		
Compatible operating systems	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux		
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2040.9 mm (47.2 x 39.4 x 80.3")		
Pallet weight (imperial)	474.2 kg (1045.4 lbs)		
Acoustic power emissions (ready)	23 dB		

Input & output capacity	
Total number of input trays *	2
Total input capacity *	250 sheets
Total output capacity *	100 sheets
Maximum number of input trays	2
Maximum input capacity	251 sheets
Maximum output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size *	A4
Maximum print size	216 x 356 mm
Paper tray media types *	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9) *	A3, A4
Non-ISO print media sizes	16K, Executive, Legal, Letter, Oficio
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	10, B5, C5, DL, Monarch
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 176 g/m²
Ports & interfaces	
Direct printing *	✓
USB port *	✓
USB 2.0 ports quantity	1
Network	
Wi-Fi *	✗
Ethernet LAN *	✓
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory *	256 MB
Maximum internal memory	256 MB
Built-in processor	✓
Processor frequency	1200 MHz
Sound pressure level (printing)	51 dB
Sound power level (printing)	6.2 dB
Design	
Market positioning *	Business
Product colour *	Grey, White

Design		Other features	
Built-in display *	✓	Acoustic pressure emissions bystander (ready)	16 dB
Display	MGD	Typical electricity consumption (TEC) number	0.272 kWh/week (Energy Star)
Display diagonal	5.08 cm (2")	UNSPSC-code	43212105
Control type	Buttons	Box contents	HP Color LaserJet Pro 3202dn; Power cord; Toner cartridge; User Guide; Flyers
Certification	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other Telecom approvals as required by individual countries	Printing	Colour printing
		Processor frequency	1.2 GHz
		Manufacturer warranty	One-year limited warranty. For more information please visit us at https://www.support.hp.com [12].
Power			
Power consumption (printing) *	415 W		
Power consumption (ready)	6.1 W		
Power consumption (PowerSave)	0.05 W		
Power consumption (off)	0.05 W		
Energy Star Typical Electricity Consumption (TEC)	0.272 kWh/week		
AC input voltage	110 - 240 V		
System requirements			
Windows operating systems supported	Windows 10, Windows 11		



0196548369119



196548369119

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.